

Pries Enterprises Inc.
701 17th Street S. E.
Independence, Iowa 50644
(319) 334-7068
EPA ID Number:IAD981716806

August 2, 1994

U. S. Environmental Protection Agency
Region VII
Waste Management Division

RECEIVED
CME
AUG 09 1994

IOWA SECTION

INTRODUCTION

At the request of Lynn Slugantz, Compliance Officer in the Iowa Section, a follow up inspection was conducted at Pries Enterprises Inc., Independence, Iowa on August 2, 1994. The inspection was conducted under the authority of Section 3007 of the Resource Conservation and Recovery Act (RCRA) as amended. This narrative report and attachments presents the results of the inspection.

PARTICIPANTS

Pries Enterprises, Inc.
Mr. Thomas J. Kurimski, Plant Manager
Mr. Richard Hazel, Office Manager

U. S. Environmental Protection Agency
Mr. Richard N. McKiddy, Civil Investigator, AARP/SEE

INSPECTION PROCEDURES

Upon arrival at the facility, I contacted Mr. Kurimski who acted as the official representative during the course of the inspection. I presented Mr. Kurimski with my identification and explained that I was at the facility to conduct a follow up inspection. I explained that the inspection would consist of documentation review and a tour of the facility. Mr. Kurimski was provided with the RCRA Inspection Confidentiality Notice, which he signed as acknowledgement of receipt (**Attachment 1**). Mr. Kurimski was also provided with and allowed to read a copy of Title 18, U. S. Code, Sections 1001 and 1002, which provide for penalties for intentionally giving false information to officials or agents of the federal government. During the inspection, we discussed and reviewed the follow up items requested by Compliance Officer Slugantz. During the facility tour, which was conducted by Mr. Kurimski, additional information was obtained from Mr. Richard Hazel, Office Manager. At the conclusion of the inspection, Mr. Kurimski was provided with the Request for Confidential Treatment Form (**Attachment 2**) and a Receipt for Samples and Documents form (**Attachment 3**), both of which Mr. Kurimski signed as acknowledgement of receipt.



FACILITY DESCRIPTION

Pries is a manufacturer of extruded aluminum products. Seven inch diameter aluminum "billets", varying in length from two feet to three feet, are heated to 900 degrees Fahrenheit and pressed (extruded) through dies using hydraulic actuated force. The extruded parts are fabricated (trimmed and cut to proper lengths) and packaged for shipment to customers. The plant operates two nine hour shifts.

When Pries was inspected in May, 1990, some products were being painted. The painting process consisted of parts cleaning, painting in two dry filter booths and drying painted parts in an oven. The parts cleaning system used a caustic (sodium hydroxide) and a soap cleaner tank, two clean water rinse tanks, an electroless chrome deposition tank (chromating with chromic acid) and two clear water final rinse tanks. The wastewater was treated on-site in a pretreatment unit, which included an equalization tank, treatment tanks for chrome reduction, solids sedimentation and a plate and frame filter press for sludge dewatering. This painting process was discontinued in December, 1987, after the process proved to be inadequate due to design problems. All of the paint-related wastes and the F019 waste generated from the wastewater treatment process had been manifested off-site at the time of the last inspection (February, 1992) and the painting process equipment and the wastewater pretreatment equipment had been put up for sale. The foregoing information was taken from the February 27, 1992, inspection report.

I was instructed to review current manufacturing processes, review waste streams (types and quantities of wastes generated), and review uniform hazardous waste manifests, if any, since the last inspection in 1992.

WASTE STREAMS The waste streams were discussed with Mr. Kurimski. He stated that the manufacturing process and the waste streams are unchanged from those documented during the February, 1992, inspection. Comments on the individual waste streams follow:

Spent Mineral Spirits - Generated in a 30-gallon parts washer in the maintenance shop from equipment maintenance. The parts washer uses mineral spirits (petroleum naphtha) and is serviced under a service contract with Northland Products Company, Waterloo, Iowa, on eight week intervals. Northland uses Uniform Hazardous Waste Manifests to document the spent mineral spirits picked up from Pries. The quantities of spent mineral spirits vary from approximately 16 to 20 gallons each pick up. The intervals vary from eight weeks to two months. Copies of the manifests and the service contract are attached (**Attachment 4**).

Waste Oil - Generated from the hydraulic press and from company vehicle maintenance. Waste oil from the hydraulic press is collected in a 720-gallon sump near the press. Waste oil from vehicle maintenance is collected in containers and placed into

the sump with the hydraulic oil. When the sump is full, the oil is collected by Cedar Falls Drain Service. Cedar Falls Drain Service markets the oil to burners in the production of asphalt. A copy of the most recent pickup receipt (February 1, 1994) is attached (**Attachment 5**).

Waste Caustic Solution - Caustic solution (NaOH) is used to clean the dies associated with extruded aluminum production. The dies are dipped into a 300-gallon tank of the caustic solution and then into rinse tanks. When the caustic solution becomes spent, it is pumped into a 2,600-gallon tank and neutralized with sulfuric acid to a pH of 6-8. The neutralized solution is discharged to the city sanitary sewer system under a pretreatment agreement. Mr. Richard Hazel, Office Manager, was unable to locate a copy of the wastewater discharge permit at the time of the inspection and Mr. MacMahon, the owner, was out of the city on business. Mr. Kuminski stated that about 300 gallons of waste caustic is neutralized every 3 to 4 weeks.

Waste Thinner - No longer generated. There is no waste thinner on-site.

Aluminum Scrap - Generated from aluminum fabrication, this scrap is sent to Well Aluminum in Monett, Missouri where it is re-melted, formed into billets and returned to Pries. Mr. Kuminski estimated that approximately 80,000 pounds per month is generated.

Waste Cooling Water - Cooling water is used to cool the hydraulic oil within the press. The cooling water is treated with an anti-microbial agent (Aqua-Prep CV413) to inhibit microorganism growth. Approximately two times a year, the cooling water is flushed from the cooling system, generating about 400 gallons of waste cooling water. The wastewater is flushed directly to the city sanitary sewer system. Mr. Kuminski stated that it is no longer necessary to notify the city before the waste cooling water is discharged to the sewer (as was the practice in February, 1992).

FACILITY TOUR

The facility tour was conducted by Mr. Kuminski. The parts washer in the maintenance area was inspected. A photograph was taken. Two large tin cans sitting in the parts washer sink were found to be empty of solvent.

A tour of the area previously designated as the paint room revealed it to be no longer used for painting. No paint-related wastes were observed during the tour. Mr. Kuminski confirmed that no painting is done and the painting equipment has been sold.

A tour was conducted of a new storage area just south of the Pries building. Aluminum billets are stored in this fenced area. Also noted were four 55-gallon drums which were found to be empty

and which Mr. Kurimski stated had contained hydraulic oil. These empty drums were awaiting pickup by Northland Oil. Photographs were taken of the empty drums and the aluminum billets. Two large totes or bins contained rock and gravel for use on the driveways. There were no containers of hazardous waste stored in this area.

The hydraulic press is located in the southwest area of the Pries building. Just to the south of the press is the sump where the waste hydraulic and motor oil are collected. A photograph was taken of the sump. A vacuum was observed sitting on the sump grill. Mr. Kurimski stated that the vacuum is used to vacuum up occasional small spills or leaks of hydraulic oil from around the press. The vacuumed oil is added to the sump.

The drum storage area is located along the south wall of the Pries building. A total of seven drums of waste oil (mixed hydraulic and motor oil) were observed. All of the drums were marked "Used Oil" and were closed. There were also two drums of what Mr. Kurimski identified as new hydraulic oil for the hydraulic extrusion press. Photographs were taken of the drums.

In the southeast area of the Pries facility is the caustic treatment area. A photograph was taken showing the caustic treatment tanks. The tank in the foreground of the photo is the dip tank; the middle tank is the caustic solution tank; and the treatment tank is in the background of the photograph. The solutions in the dip tank and caustic tank are, when spent, pumped into the treatment tank for neutralization before being released to the sanitary sewer system.

A large tote of what appeared to be aluminum dust, or fine particles, was observed in the product storage area. Mr. Kurimski was asked if this waste was sent to Well Aluminum in Monett, Missouri as well. He stated that this waste, aluminum saw shavings, is sent to Spectro Alloys in Brunswick, Minnesota for recycling. He stated that approximately 1,000 pounds per month are generated.

While inspecting the product storage area, I observed a piece of equipment being used to clean the concrete floors of the Pries building. The device, about the size of a small garden tractor and self-propelled, appeared to be scrubbing the floor with brushes attached to the bottom of the device. A liquid was observed on the floor. I asked Mr. Kurimski about this operation. He stated that the floor scrubber used a diluted solution of water and Aqua-Sol 20/20. He stated the mixture was about one cup (8 oz.) of Aqua-Sol 20/20 to 15 gallons of water. I asked how the spent (dirty) solution is disposed. He stated that the solution is squeegeed up and discharged down the floor drains (two in the production area and one in the restroom). He stated that the floor drains have sumps for the collection of sediment. I asked Mr. Kurimski if the drain sumps are periodically cleaned out and, if so, how the sump sludge is disposed. Mr. Kurimski stated that the sludge is dried and disposed of in the general trash to the landfill. He stated that the sludge is primarily dirt from the production area floors and a small amount of fine aluminum dust. Mr. Kurimski stated that no hazardous waste determination had been made on the solution or

on the sump sludge. Mr. Kurimski provided a material safety data sheet for the product Aqua-Sol 20/20 which is attached to this report (**Attachment 6**).

Photographs taken during this inspection are attached (**Attachment 7**).


Richard N. McKiddy, Civil Investigator
AARP/SEE

Date: *August 9, 1994*

Enclosures:

- (1) RCRA Confidentiality Notice (2 pages)
- (2) Request for Confidential Treatment (1 page)
- (3) Receipt for Documents and Samples (1 page)
- (4) Parts Cleaner Service Contract and Manifests (17 pages)
- (5) Used Oil Pick up Receipt - Cedar Falls Drain Service (1 page)
- (6) Material Safety Data Sheet - Aqua-Sol 20/20 (4 pages)
- (7) Photographs (4 pages)

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
CONFIDENTIALITY NOTICE

Facility Name <i>PRIES ENTERPRISE INC.</i>	
Facility Address <i>701 17TH STREET S.E., INDEPENDENCE, IA. 50644</i>	
Inspector (print) <i>RICHARD N. M SKIDDY</i>	Title <i>AARP/SEE CIVIC INVESTIGATOR</i>
U.S.EPA, Region VII, ENSV Division, 25 Funston Road, Kansas City, KS 66115 <i>WESTM/RCRA/IOWA 126 MINNESOTA 66101</i>	Date <i>Aug 2, 1994</i>

It is possible that the United States Environmental Protection Agency (EPA) will receive public requests for release of the information obtained during inspection of the facility above. Such requests will be handled by EPA in accordance with provisions of the Freedom of Information Act (FOIA), 5 U.S.C. 552; EPA regulations issued thereunder, 40 CFR Part 2; and the applicable statute under which the information is obtained. EPA is required to make inspection data available in response to FOIA requests, unless the Agency determines that the data contains information entitled to confidential treatment.

Any or all of the information collected by EPA during the inspection may be claimed confidential, if it relates to trade secrets or commercial or financial matters that you consider to be confidential. If you make claims of confidentiality, EPA will disclose the information only to the extent, and by the means of the procedures set forth in the regulations (cited above) governing EPA's treatment of confidential information.

To claim information confidential, you must certify that each claimed item meets all of the following criteria (40 CFR 2.208):

1. Your company has taken measures to protect the confidentiality of the information, and it intends to continue to take such measures.
2. The information is not, and has not been, reasonably obtained without your company's consent by other persons (other than governmental bodies) by use of legitimate means (other than discovery based on showing special need in a judicial or quasi-judicial proceeding).
3. The information is not publicly available elsewhere.
4. Disclosure of the information would cause substantial harm to your company's competitive position.

In addition, within fifteen (15) calendar days of the claim, you must provide written comments in support of the claim, based on factors listed in 40 CFR 2.204(e)(4). This statement should be mailed by registered, return-receipt requested mail to the Inspector at the address listed above. Failure to submit comments by this deadline will be deemed a waiver of the claim pursuant to 40 CFR 2.205(d)(1).

At the completion of the inspection, you will be given a receipt for all materials collected. At that time you may make claims that some or all of the information is confidential and meets the criteria listed above.

U.S.EPA INSPECTION CONFIDENTIALITY NOTICE (cont.)

Facility Name	PRIES ENTERPRISE INC.
Facility Address	701 17 th ST. S.E., INDEPENDENCE, IA 50644

If you are not authorized by your company and there is no one on the premises of the facility who is authorized to make confidentiality claims, this notice will be sent by certified mail, along with the receipt for documents, samples, and other materials, to the authorized representative designated below.

Authorized Representative _____

Title _____

Address _____

If the authorized representative listed above requests confidential treatment, they must return a statement specifying any information which should receive confidential treatment and written comments in support of the claim based on factors listed in 40 CFR 2.204(e)(4).

This statement from the authorized representative should be mailed by registered, return-receipt requested mail within fifteen (15) calendar days of receipt of the Confidentiality Notice to the Inspector at the address listed on page 1.

Failure to submit confidentiality claims and comments within the fifteen (15) day period will be deemed a waiver of the claim pursuant to 40 CFR 2.205(d)(1).

=====

To be completed by the facility official receiving this Notice:

I have received and read this Notice.

Facility Representative Provided Notice (print)	Title
THOMAS J. KURINSKI	PLANT MANAGER
Signature/Date	
Thomas J. Kurinski	8-2-94

(rev:1/20/93)

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REQUEST FOR CONFIDENTIAL TREATMENT

Facility Name <i>PRIES ENTERPRISE INC.</i>
Facility Address <i>701 17th ST S.E., INDEPENDENCE, IA 50644</i>

Information for which confidential treatment is requested:

Acknowledgement of Claimant

The undersigned requests that confidential treatment of the information described be provided in accordance with provisions of the Freedom of Information Act (FOIA), 5 U.S.C. 552; EPA regulations issued thereunder, 40 CFR Part 2; and the applicable statute under which the information is obtained. The undersigned further acknowledges that they are authorized to make such claims for their firm.

The undersigned also certifies that each claimed item described above meets all of the following criteria (40 CFR 2.208):

1. Your company has taken measures to protect the confidentiality of the information, and it intends to continue to take such measures.
2. The information is not, and has not been, reasonably obtained without your company's consent by other persons (other than governmental bodies) by use of legitimate means (other than discovery based on showing of special need in a judicial or quasi-judicial proceeding).
3. The information is not publicly available elsewhere.
4. Disclosure of the information would cause substantial harm to your company's competitive position.

In addition, within 15 days of your claim, you must provide written comments in support of the claim, based on factors listed in 40 CFR 2.204(e)(4). Failure to submit comments by this deadline will be deemed a waiver of the claim pursuant to 40 CFR 2.205(d)(1).

Authorized Representative (print) <i>Thomas J Kurimski</i>	Signature/Date <i>Thomas J Kurimski 8-2-94</i>
No confidential treatment claimed during the inspection: <i>TJK</i> (Facility Representative's initials)	
Inspector (print) <i>RICHARD N. McKIDDY AARD/SEE</i>	Signature/Date <i>Richard N. McKiddy 8/4/94</i>
U.S.EPA, Region VII, ENSV Division, 25 Funston Road, Kansas City, KS 66115 <i>WEST/ACRA/1000A 726 MINNESOTA AVE 66101</i>	

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
RECEIPT FOR DOCUMENTS AND SAMPLES

Facility Name <u>PRIS ENTERPRISE INC.</u>
Facility Address <u>701 17TH ST. SE, INDEPENDENCE, IA 50644</u>

Documents Collected? YES ☒ (list below) NO ☐

Samples Collected? YES ☐ (list below) NO ☒ Split Samples: YES ☐ NO ☐

Documents/Samples were: 1) Received no charge ☒ 2) Borrowed ☐ 3) Purchased ☐

Amount Paid: \$ Method: Cash ☐ Voucher ☐ To Be Billed ☐

The documents and samples described below were collected in connection with the administration and enforcement of the applicable statute under which the information is obtained.

Receipt for the document(s) and/or sample(s) described below is hereby acknowledged:

- (1) CEDAR FALLS DRAIN SERVICE - RECEIPT FOR WST OIL PICKUP dtd 2-1-94 (1 PAGE)
- (2) PARTS CLEANER SERVICE CONTRACT, NORTHLAND PRODUCTS CO. NO. 02076 dtd 12-16-88. (1 PAGE)
- (3) SEVENTEEN (17) UNIFORM HAZARDOUS WST MANIFEST FOR PARTS WASHING SOLVENT (17 PAGES)
- (4) MATERIAL SAFETY DATA SHEETS, AQUA-505 20/20 ALKALINE DETERGENT. (4 PAGES)
- (5) PHOTOGRAPHS (EIGHT EXPOSURES)

Facility Representative (print) <u>THOMAS J. KURINSKI</u>	Signature/Date <u>Thomas J. Kurinski 8-2-94</u>
Inspector (print) <u>RICHARD N. MCKINLEY</u>	Signature/Date <u>Richard N. McKinley 8/2/94</u>
U.S.EPA, Region VII, ENSV Division, 25 Funston Road, Kansas City, KS 66115 <u>WESTN. AREA/DWA 726 MINNESOTA AVE 66101</u>	



Northland Products Company

1000 RAINBOW DRIVE

POST OFFICE BOX 418

WATERLOO, IOWA 50704

319-234-5585

SOLD
TO

Pries Enterprises Inc.

Box 777, 901 17th St. S.E.

Independence, IA. 50644

12-16-88
DATESHIP
TO

Phone: 319-334-7060

Parts Cleaner Service Contract

QUANTITY	SIZE	CYCLE	DESCRIPTION	SERIAL NO.	PRICE
1	DM-30	BWK	PARTSWASHER	R2289	54.50
			Tax.		2.18
			Charge on Account.		\$56.68
			2 yr Service free		

This is a bailment and is not to be construed as a sale contract or a conditional sale contract. The intent is that Owner is hereby renting and leasing the Equipment only. It is understood and agreed the Equipment shall remain personal property at all times, notwithstanding the manner of its annexations to realty. The Lease is personal to the Lessee; no rights hereunder may be transferred without Owner's written consent.

The Equipment to this Lease includes all replacement parts, additions and accessories.

For consideration received, Northland Products Company, hereafter N.P.C., agrees to deliver to customer herein named, on or about the date described, the number and size of units so described on the service agreement. All units are to be in new condition and fully operational upon delivery. Further, N.P.C. agrees to service all units in the weekly schedule described.

Customer agrees to pay N.P.C. the price described above per unit per service. Payment is to be made at time of service or 30 days thereafter. Customer agrees to allow N.P.C. representatives reasonable access to service, inspect and/or repair the units. Customer and his representatives agree to use the parts cleaners in a normal and reasonable manner and will be responsible for repairs or replacement of units physically damaged. Customer agrees to be responsible for the physical safety of the N.P.C. Parts Cleaners in his custody and agrees to reimburse N.P.C. the sum of \$339.00 per unit for each unit lost or destroyed by fire, theft, vandalism, or physically damaged beyond repair.

Customer shall keep the equipment free from claims, liens, encumbrances and security interests. Customer, at its own cost, shall insure the equipment against burglary, theft, fire and vandalism in the amount of \$339.00. Bailment or lease terminates upon default in payments, bankruptcy of the bailee/lessee, appointment of receiver for the business of bailee/lessee, or discontinuation of bailee's/lessee's business.

Customer may cancel this agreement at any time provided immediate notice is given to N.P.C., but in such event, customer shall pay all monies owed N.P.C. and shall immediately deliver to N.P.C. equipment previously received by it from N.P.C.

Customer agrees to assume any tax that may be assessed on use of cleaning units by any governmental agency during the term of this agreement. Customer shall indemnify and save N.P.C. harmless from any and all liabilities arising from use of cleaning units. In the event the Customer fails to make timely payments of the service charge, or this service agreement is terminated, N.P.C. will be allowed to remove all Northland Products Company Parts Cleaners from the Customer's premises without further action.

Prices subject to change without notice.

CUSTOMER AUTHORIZATION

NORTHLAND SALESMAN APPROVAL

SIGNED

DATE

SIGNED

DATE

[Signature]
12/16/88

[Signature]
12-16-88

ATT 4-2

Northland Products Company
1000 Rainbow Drive, P.O. Box 418
Waterloo, Iowa 50704

IN EVENT OF EMERGENCY CALL:
1-800-424-9300 (24 HOURS)

Please print or type
(Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-92

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address DRIPS ENTERPRISES, INC 201 171st STREET, S.E. P.O. BOX 777 INDEPENDENCE, IOWA					A. State Manifest Document Number	
4. Generator's Phone (319) 234-5585					B. State Generator's ID	
5. Transporter 1 Company Name Northland Products Company		6. US EPA ID Number I.A.D.0.2.2.3.6.5.4.8.0				C. State Transporter's ID
7. Transporter 2 Company Name		8. UA EPA ID Number				D. Transporter's Phone 319-234-5585
9. Designated Facility Name and Site Address Northland Products Company 1000 Rainbow Drive Waterloo, Iowa 50704		10. US EPA ID Number I.A.D.0.2.2.3.6.5.4.8.0				E. State Transporter's ID
					F. Transporter's Phone	
					G. State Facility's ID	
					H. Facility's Phone 319-234-5585	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.	
a. Waste Combustible Liquid, N.O.S., (Contains Petroleum Naphtha), Combustible Liquid, NA 1993, PG III, (EPA D001, D018, D039) ERG #27		No. Type				
b. Waste Combustible Liquid, N.O.S., (Contains Petroleum Naphtha, Ethylene Glycol Monoethyl Ether Acetate), Combustible Liquid, NA 1993, PG III, (EPA D001), ERG #27		No. Type				
c.		No. Type				
d.		No. Type				
J. Additional Descriptions for Materials Listed Above LAND DISPOSAL RESTRICTION NOTIFICATION: In accordance with EPA 40 CFR 268.7, the Generator provides notice that the material referenced in 11 above - Waste Combustible Liquid, EPA class D001 - High TOC Ignitable Liquids are Land Disposal Restricted Wastes and are subject to the following Technology-Based Standards/Codes: FSUBS; RORGS; or INCIN. See Technology-Based Standards(s) in 40 CFR 268.42, Table 2 - Technology-Based Standard By RCRA Waste Codes.		K. Handling Codes for Wastes Listed Above				
15. Special Handling Instructions and Additional Information A. Material hazardous due to its ignitability. Protect from ignition sources including but not limited to: Open flames, smoking, cutting & welding, hot surfaces, frictional heat and sparks. B. Material contains a low percentage of components which are corrosive. Minimum skin contact as well as good personal hygiene standards should be observed. Use in areas of adequate ventilation.						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name DRIPS ENTERPRISES, INC		Signature <i>[Signature]</i>		Month Day Year 5/20/94		
17. Transporter 1 Acknowledgement of Receipt of Materials						
Printed/Typed Name Northland Products Company		Signature <i>[Signature]</i>		Month Day Year 5/20/94		
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed/Typed Name		Signature		Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name Northland Products Company		Signature		Month Day Year		

4143406

Northland Products Company
1000 Rainbow Drive, P.O. Box 418
Waterloo, Iowa 50704

RECEIVED

ATT 4-3

IN EVENT OF EMERGENCY CALL:
1-800-424-9300 (24 HOURS)

Please print or type
(Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-92

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. <i>not</i> <i>TJK</i>	Manifest Document No. <i>116142</i>	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.		
3. Generator's Name and Mailing Address PRIES ENTERPRISES, INC 701 17TH STREET, S.E. POST OFFICE BOX 777 INDEPENDENCE, IOWA		4. Generator's Phone (319) 334-7068			A. State Manifest Document Number		
5. Transporter 1 Company Name Northland Products Company		50644	6. US EPA ID Number I. A. D. O. 2. 2. 3. 6. 5. 4. 8. 0	D. Transporter's Phone 319-234-5585			
7. Transporter 2 Company Name			8. UA EPA ID Number	E. State Transporter's ID			
9. Designated Facility Name and Site Address Northland Products Company 1000 Rainbow Drive Waterloo, Iowa 50704			10. US EPA ID Number I. A. D. O. 2. 2. 3. 6. 5. 4. 8. 0	G. State Facility's ID			
				H. Facility's Phone 319-234-5585			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity	14. Unit Wt/Vol	1. Waste No.	
a. <input checked="" type="checkbox"/> HM Waste Combustible Liquid, N.O.S., (Contains Petroleum Naphtha), Combustible Liquid, NA 1993, PG III, (EPA D001, D018, D039) ERG #27		No. Type <i>001</i> DRUMS		<i>0001</i>	<i>✓</i> GAL.		
b. Waste Combustible Liquid, N.O.S., (Contains Petroleum Naphtha, Ethylene Glycol Monoethyl Ether Acetate), Combustible Liquid, NA 1993, PG III, (EPA D001), ERG #27		DRUMS			GAL.		
c.							
d.							
J. Additional Descriptions for Materials Listed Above LAND DISPOSAL RESTRICTION NOTIFICATION: In accordance with EPA 40 CFR 268.7, the Generator provides notice that the material referenced in 11 above - Waste Combustible Liquid, EPA class D001 - High TOC Ignitable Liquids are Land Disposal Restricted Wastes and are subject to the following Technology-Based Standards/Codes: FSUBS; RORGS; or INCIN. See Technology-Based Standards(s) in 40 CFR 268.42, Table 2 - Technology-Based Standard By RCRA Waste Codes.				K. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information A. Material hazardous due to its ignitability. Protect from ignition sources including but not limited to: Open flames, smoking, cutting & welding, hot surfaces, frictional heat and sparks. B. Material contains a low percentage of components which are corrosive. Minimum skin contact as well as good personal hygiene standards should be observed. Use in areas of adequate ventilation.							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR , if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.							
Printed/Typed Name PRIES ENTERPRISES, INC		Signature <i>Thomas J. Kurumada</i>		Month Day Year <i>04/27/94</i>			
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name Northland Products Company		Signature <i>[Signature]</i>		Month Day Year <i>04/27/94</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.							
Printed/Typed Name Northland Products Company		Signature <i>[Signature]</i>		Month Day Year <i>04/28/94</i>			

4143400

Northland Products Company
 1000 Rainbow Drive, P.O. Box 418
 Waterloo, Iowa 50704

ATT 4-4

IN EVENT OF EMERGENCY CALL:
 1-800-424-9300 (24 HOURS)

Please print or type
 (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-92

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. <u>104</u> <u>134</u>		Manifest Document No. <u>14813</u>		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.					
3. Generator's Name and Mailing Address PRIES ENTERPRISES, INC 701 17TH STREET, S.E. POST OFFICE BOX 777 INDEPENDENCE, IOWA						A. State Manifest Document Number							
4. Generator's Phone <u>3193347068</u>						B. State Generator's ID							
5. Transporter 1 Company Name <u>Northland Products Company</u>						6. US EPA ID Number <u>50644</u>		C. State Transporter's ID					
						I. A. D. O. 2. 2. 3. 6. 5. 4. 8. 0		D. Transporter's Phone <u>319-234-5585</u>					
7. Transporter 2 Company Name						8. UA EPA ID Number		E. State Transporter's ID					
								F. Transporter's Phone					
9. Designated Facility Name and Site Address Northland Products Company 1000 Rainbow Drive Waterloo, Iowa 50704						10. US EPA ID Number		G. State Facility's ID					
						I. A. D. O. 2. 2. 3. 6. 5. 4. 8. 0		H. Facility's Phone <u>319-234-5585</u>					
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
a. <input checked="" type="checkbox"/> HM Waste Combustible Liquid, N.O.S., (Contains Petroleum Naphtha), Combustible Liquid, NA 1993, PG III, (EPA D001, D018, D039) ERG #27						001 DRUMS		00019 GAL.					
b. Waste Combustible Liquid, N.O.S., (Contains Petroleum Naphtha, Ethylene Glycol Monoethyl Ether Acetate), Combustible Liquid, NA 1993, PG III, (EPA D001), ERG #27						DRUMS				GAL.			
c.													
d.													
J. Additional Descriptions for Materials Listed Above LAND DISPOSAL RESTRICTION NOTIFICATION: In accordance with EPA 40 CFR 268.7, the Generator provides notice that the material referenced in 11. above - Waste Combustible Liquid, EPA class D001 - High TOC Ignitable Liquids are Land Disposal Restricted Wastes and are subject to the following Technology-Based Standards/Codes: FSUBS; RORGS; or INCIN. See Technology-Based Standards(s) in 40 CFR 268.42, Table 2 - Technology-Based Standard By RCRA Waste Codes.						K. Handling Codes for Wastes Listed Above							
15. Special Handling Instructions and Additional Information A. Material hazardous due to its ignitability. Protect from ignition sources including but not limited to: Open flames, smoking, cutting & welding, hot surfaces, frictional heat and sparks. B. Material contains a low percentage of components which are corrosive. Minimum skin contact as well as good personal hygiene standards should be observed. Use in areas of adequate ventilation.													
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR , if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.													
Printed/Typed Name PRIES ENTERPRISES, INC					Signature <i>Bill Fiehl</i>					Month Day Year 03 04 94			
17. Transporter 1 Acknowledgement of Receipt of Materials													
Printed/Typed Name Northland Products Company					Signature <i>[Signature]</i>					Month Day Year 03 04 94			
18. Transporter 2 Acknowledgement of Receipt of Materials													
Printed/Typed Name					Signature					Month Day Year			
19. Discrepancy Indication Space													
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.													
Printed/Typed Name Northland Products Company					Signature <i>[Signature]</i>					Month Day Year 03 04 94			

14-7406
4

Northland Products Company
1000 Rainbow Drive, P.O. Box 418
Waterloo, Iowa 50704

ATT 4-5
IN EVENT OF EMERGENCY CALL:
1-800-424-9300 (24 HOURS)

Please print or type
(Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-92

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. <i>Northland</i>	Manifest Document No. <i>13508</i>	2. Page 1 of 1		Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address PRIES ENTERPRISES, INC 701 17TH STREET, S.E. POST OFFICE BOX 777 INDEPENDENCE, IOWA				A. State Manifest Document Number			
4. Generator's Phone (319) 334-7068				B. State Generator's ID			
5. Transporter 1 Company Name Northland Products Company				C. State Transporter's ID			
6. US EPA ID Number 50644				D. Transporter's Phone 319-234-5585			
7. Transporter 2 Company Name				E. State Transporter's ID			
8. UA EPA ID Number				F. Transporter's Phone			
9. Designated Facility Name and Site Address Northland Products Company 1000 Rainbow Drive Waterloo, Iowa 50704				G. State Facility's ID			
10. US EPA ID Number I.A.D.O.2.2.3.6.5.4.8.0				H. Facility's Phone 319-234-5585			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity	14. Unit Wt/Vol	1. Waste No.	
a. <input checked="" type="checkbox"/> Waste Combustible Liquid, N.O.S., (Contains Petroleum Naphtha), Combustible Liquid, NA 1993, PG III, (EPA D001, D018, D039) ERG # 27		No. Type <i>001</i> DRUMS		<i>00819</i>	GAL.		
b. Waste Combustible Liquid, N.O.S., (Contains Petroleum Naphtha, Ethylene Glycol Monoethyl Ether Acetate), Combustible Liquid, NA 1993, PG III, (EPA D001), ERG # 27		DRUMS			GAL.		
c.							
d.							
J. Additional Descriptions for Materials Listed Above LAND DISPOSAL RESTRICTION NOTIFICATION: In accordance with EPA 40 CFR 268.7, the Generator provides notice that the material referenced in 11 above - Waste Combustible Liquid, EPA class D001 - High TOC Ignitable Liquids are Land Disposal Restricted Wastes and are subject to the following Technology-Based Standards/Codes: FSUBS; RORGS; or INCIN. See Technology-Based Standards(s) in 40 CFR 268.42, Table 2 - Technology-Based Standard By RCRA Waste Codes.				K. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information A. Material hazardous due to its ignitability. Protect from ignition sources including but not limited to: Open flames, smoking, cutting & welding, hot surfaces, frictional heat and sparks. B. Material contains a low percentage of components which are corrosive. Minimum skin contact as well as good personal hygiene standards should be observed. Use in areas of adequate ventilation.							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.							
Printed/Typed Name PRIES ENTERPRISES, INC				Signature <i>Bill Fick</i>		Month Day Year <i>01/05/94</i>	
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name Northland Products Company				Signature <i>[Signature]</i>		Month Day Year <i>01/05/94</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.							
Printed/Typed Name Northland Products Company				Signature <i>[Signature]</i>		Month Day Year <i>01/07/94</i>	

3143406

Northland Products Company
1000 Rainbow Drive, P.O. Box 418
Waterloo, Iowa 50704

ATT 4-6
IN EVENT OF EMERGENCY CALL:
1-800-424-9300 (24 HOURS)

Please print or type
(Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-92

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. <i>North 1324</i>	Manifest Document No. <i>111272</i>	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.		
3. Generator's Name and Mailing Address PRIES ENTERPRISES, INC 701 17TH STREET, S.E. POST OFFICE BOX 777 INDEPENDENCE, IOWA				A. State Manifest Document Number			
4. Generator's Phone (<i>3193347068</i>)				B. State Generator's ID			
5. Transporter 1 Company Name Northland Products Company		506446. US EPA ID Number <i>I. A. D. O. 2. 2. 3. 6. 5. 4. 8. 0</i>		C. State Transporter's ID		D. Transporter's Phone 319-234-5585	
7. Transporter 2 Company Name		8. UA EPA ID Number		E. State Transporter's ID		F. Transporter's Phone	
9. Designated Facility Name and Site Address Northland Products Company 1000 Rainbow Drive Waterloo, Iowa 50704				10. US EPA ID Number <i>I. A. D. O. 2. 2. 3. 6. 5. 4. 8. 0</i>		G. State Facility's ID	
				H. Facility's Phone 319-234-5585			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)				12. Containers	13. Total Quantity	14. Unit Wt/Vol	
				No.	Type	Waste No.	
a. Waste Petroleum Naphtha, Combustible Liquid, UN 1255 (EPA, D001, D018, D039)					DRUMS	GAL.	
b. Waste Compound, Cleaning, Liquid, N.O.S., (Contains Pine Oil, Monoethanolamine, 2-Butoxyethanol), Flammable Liquid, NA1993 (EPA D001)					PAILS	GAL.	
c. WASTE COMBUSTIBLE LIQUID, N.O.S., (CONTAINS PETROLEUM NAPHTHA) COMBUSTIBLE LIQUID, NA 1993, PG III, (EPA D001, D018, D039) ERG#27				<i>001</i>	D	<i>00018</i> GAL.	
d. WASTE COMBUSTIBLE LIQUID, N.O.S., (CONTAINS ETHYLENE GLYCOL MONOBUTYL ETHER, ISOPROPYL ALCHOL), COMBUSTIBLE LIQUID, NA1993, PGIII, (EPA D039), ERG#27					D	GAL.	
J. Additional Descriptions for Materials Listed Above LAND DISPOSAL RESTRICTION NOTIFICATION: In accordance with EPA 40 CFR 268.7, the Generator provides notice that the material referenced in 11a - Waste Petroleum Naphtha, EPA class D001 - High TOC Ignitable Liquids and 11b - Waste Compound, Cleaning, Liquid, EPA D001 - High TOC Ignitable Liquids are Land Disposal Restricted Wastes and are subject to the following Technology-Based Standards/Codes: FSUBS; RORGS; or INCIN. See Technology-Based Standards(s) in 40 CFR 268.42, Table 2 - Technology-Based Standard By RCRA Waste Codes.				K. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information A. Material hazardous due to its ignitability. Protect from ignition sources including but not limited to: Open flames, smoking, cutting & welding, hot surfaces, frictional heat and sparks. B. Material contains a low percentage of components which are corrosive. Minimum skin contact as well as good personal hygiene standards should be observed. Use in areas of adequate ventilation.							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR , if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.							
Printed/Typed Name PRIES ENTERPRISES, INC				Signature <i>Bill Hall</i>		Month Day Year <i>11/10/93</i>	
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name Northland Products Company				Signature <i>[Signature]</i>		Month Day Year <i>11/10/93</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.							
Printed/Typed Name Northland Products Company				Signature <i>[Signature]</i>		Month Day Year <i>11/11/93</i>	

3143406

Northland Products Company
1000 Rainbow Drive, P.O. Box 418
Waterloo, Iowa 50704

ATT 4-7

IN EVENT OF EMERGENCY CALL:
1-800-424-9300 (24 HOURS)

Please print or type
(Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-92

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. <i>Northland</i>	Manifest Document No. <i>9903</i>	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address PRIES ENTERPRISES, INC 701 17TH STREET, S.E. POST OFFICE BOX 777 INDEPENDENCE, IOWA				A. State Manifest Document Number		
4. Generator's Phone 3193347068				B. State Generator's ID		
5. Transporter 1 Company Name Northland Products Company				C. State Transporter's ID		
6. US EPA ID Number 50644				D. Transporter's Phone 319-234-5585		
7. Transporter 2 Company Name				E. State Transporter's ID		
8. UA EPA ID Number				F. Transporter's Phone		
9. Designated Facility Name and Site Address Northland Products Company 1000 Rainbow Drive Waterloo, Iowa 50704				G. State Facility's ID		
10. US EPA ID Number 1.A.D.O.2.2.3.6.5.4.8.0				H. Facility's Phone 319-234-5585		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity	14. Unit Wt/Vol	15. Waste No.
a. <input checked="" type="checkbox"/> Waste Petroleum Naphtha, Combustible Liquid, UN 1255 (EPA, D001, D018, D039)		001 DRUMS		00018	GAL.	
b. Waste Compound, Cleaning, Liquid, N.O.S., (Contains Pine Oil, Monoethanolamine, 2-Butoxyethanol), Flammable Liquid, NA1993 (EPA D001)		PAILS			GAL.	
c.						
d.						
J. Additional Descriptions for Materials Listed Above LAND DISPOSAL RESTRICTION NOTIFICATION: In accordance with EPA 40 CFR 268.7, the Generator provides notice that the material referenced in 11a. - Waste Petroleum Naphtha, EPA class D001 - High TOC Ignitable Liquids and 11b. - Waste Compound, Cleaning, Liquid, EPA D001 - High TOC Ignitable Liquids are Land Disposal Restricted Wastes and are subject to the following Technology-Based Standards/Codes: FSUBS; RORGS; or INCIN. See Technology-Based Standards(s) in 40 CFR 268.42, Table 2 - Technology-Based Standard By RCRA Waste Codes.				K. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information A. Material hazardous due to its ignitability. Protect from ignition sources including but not limited to: Open flames, smoking, cutting & welding, hot surfaces, frictional heat and sparks. B. Material contains a low percentage of components which are corrosive. Minimum skin contact as well as good personal hygiene standards should be observed. Use in areas of adequate ventilation.						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR , if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name PRIES ENTERPRISES, INC				Signature <i>Bill F. Hall</i>		Month Day Year 09/15/93
17. Transporter 1 Acknowledgement of Receipt of Materials						
Printed/Typed Name Northland Products Company				Signature <i>[Signature]</i>		Month Day Year 09/15/93
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed/Typed Name				Signature		Month Day Year
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name Northland Products Company				Signature <i>[Signature]</i>		Month Day Year 09/15/93

Northland Products Company
1000 Rainbow Drive, P.O. Box 418
Waterloo, Iowa 50704

ATT 4-8
IN EVENT OF EMERGENCY CALL:
1-800-424-9300 (24 HOURS)

Please print or type
(Form designed for use on elite (12-pitch) typewriter.)

Form Approved, OMB No. 2050-0039. Expires 9-30-92

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address PRILE ENTERPRISES, INC. 2136 WAGNER ROAD		6. US EPA ID Number I . A . D . 0 . 2 . 2 . 3 . 6 . 5 . 4 . 8 . 0		A. State Manifest Document Number		
4. Generator's Phone (319) 234-5585 WATERLOO, IA		8. UA EPA ID Number		B. State Generator's ID		
5. Transporter 1 Company Name Northland Products Company		10. US EPA ID Number I . A . D . 0 . 2 . 2 . 3 . 6 . 5 . 4 . 8 . 0		C. State Transporter's ID		
7. Transporter 2 Company Name		11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		D. Transporter's Phone 319-234-5585		
9. Designated Facility Name and Site Address Northland Products Company 1000 Rainbow Drive Waterloo, Iowa 50704		12. Containers		E. State Transporter's ID		
		13. Total Quantity		F. Transporter's Phone		
		14. Unit Wt/Vol		G. State Facility's ID		
		1. Waste No.		H. Facility's Phone 319-234-5585		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity		
a. <input checked="" type="checkbox"/> HM Waste Petroleum Naphtha, Combustible Liquid, UN 1255 (EPA, D001, D018, D039)		No. Type		14. Unit Wt/Vol		
b. Waste Compound, Cleaning, Liquid, N.O.S., (Contains Pine Oil, Monoethanolamine, 2-Butoxyethanol), Flammable Liquid, NA 1993 (EPA D001)		60! DRUMS		GAL.		
c.		PAILS		GAL.		
d.						
J. Additional Descriptions for Materials Listed Above LAND DISPOSAL RESTRICTION NOTIFICATION: In accordance with EPA 40 CFR 268.7, the Generator provides notice that the material referenced in 11a. - Waste Petroleum Naphtha, EPA class D001 - High TOC Ignitable Liquids and 11b. - Waste Compound, Cleaning, Liquid, EPA D001 - High TOC Ignitable Liquids are Land Disposal Restricted Wastes and are subject to the following Technology-Based Standards/Codes: FSUBS; RORGS; or INCIN. See Technology-Based Standards(s) in 40 CFR 268.42, Table 2 - Technology-Based Standard By RCRA Waste Codes.		K. Handling Codes for Wastes Listed Above				
15. Special Handling Instructions and Additional Information A. Material hazardous due to its ignitability. Protect from ignition sources including but not limited to: Open flames, smoking, cutting & welding, hot surfaces, frictional heat and sparks. B. Material contains a low percentage of components which are corrosive. Minimum skin contact as well as good personal hygiene standards should be observed. Use in areas of adequate ventilation.						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name PRILE ENTERPRISES, INC.		Signature		Month Day Year 07/23/92		
17. Transporter 1 Acknowledgement of Receipt of Materials						
Printed/Typed Name Northland Products Company		Signature		Month Day Year 07/23/92		
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed/Typed Name		Signature		Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name Northland Products Company		Signature		Month Day Year		

3143406

Northland Products Company
1000 Rainbow Drive, P.O. Box 418
Waterloo, Iowa 50704

4774-9
IN EVENT OF EMERGENCY CALL:
1-800-424-9300 (24 HOURS)

Please print or type
(Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-92

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. <i>not</i> <i>BH</i>	Manifest Document No. <i>7276</i>	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.		
3. Generator's Name and Mailing Address PRIES ENTERPRISES, INC 701 17TH STREET, S.E. POST OFFICE BOX 777 INDEPENDENCE, IOWA				A. State Manifest Document Number			
4. Generator's Phone (<i>3193347068</i>)				B. State Generator's ID			
5. Transporter 1 Company Name Northland Products Company		6. US EPA ID Number <i>50644</i>	C. State Transporter's ID			D. Transporter's Phone 319-234-5585	
7. Transporter 2 Company Name		8. UA EPA ID Number	E. State Transporter's ID			F. Transporter's Phone	
9. Designated Facility Name and Site Address Northland Products Company 1000 Rainbow Drive Waterloo, Iowa 50704		10. US EPA ID Number <i>1.A.D.O.2.2.3.6.5.4.8.0</i>	G. State Facility's ID			H. Facility's Phone 319-234-5585	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)				12. Containers	13. Total Quantity	14. Unit Wt/Vol	
a. <input checked="" type="checkbox"/> Waste Petroleum Naphtha, Combustible Liquid, UN 1255 (EPA, D001, D018, D039)				No. <i>001</i>	Type DRUMS	<i>00020</i> GAL.	
b. Waste Compound, Cleaning, Liquid, N.O.S., (Contains Pine Oil, Monoethanolamine, 2-Butoxyethanol), Flammable Liquid, NA 1993 (EPA D001)					PAILS	GAL.	
c.							
d.							
J. Additional Descriptions for Materials Listed Above LAND DISPOSAL RESTRICTION NOTIFICATION: In accordance with EPA 40 CFR 268.7, the Generator provides notice that the material referenced in 11a. - Waste Petroleum Naphtha, EPA class D001 - High TOC Ignitable Liquids and 11b. - Waste Compound, Cleaning, Liquid, EPA D001 - High TOC Ignitable Liquids are Land Disposal Restricted Wastes and are subject to the following Technology-Based Standards/Codes: FSUBS; RORGS; or INCIN. See Technology-Based Standards(s) in 40 CFR 268.42, Table 2 - Technology-Based Standard By RCRA Waste Codes.				K. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information A. Material hazardous due to its ignitability. Protect from ignition sources including but not limited to: Open flames, smoking, cutting & welding, hot surfaces, frictional heat and sparks. B. Material contains a low percentage of components which are corrosive. Minimum skin contact as well as good personal hygiene standards should be observed. Use in areas of adequate ventilation.							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR , if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.							
Printed/Typed Name PRIES ENTERPRISES, INC		Signature <i>Bill Hahl</i>		Month Day Year <i>05/26/93</i>			
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name Northland Products Company		Signature <i>[Signature]</i>		Month Day Year <i>05/26/93</i>			
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name		Signature		Month Day Year			
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.							
Printed/Typed Name Northland Products Company		Signature <i>[Signature]</i>		Month Day Year <i>05/27/93</i>			

Northland Products Company
1000 Rainbow Drive, P.O. Box 418
Waterloo, Iowa 50704

ATT 4-10

IN EVENT OF EMERGENCY CALL:
1-800-424-9300 (24 HOURS)

Please print or type
(Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-92

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. <i>Northland</i>	Manifest Document No. <i>46864</i>	2. Page 1 of 1	3. Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address PRIES ENTERPRISES, INC 701 17TH STREET, S.E. POST OFFICE BOX 777 INDEPENDENCE, IOWA		4. Generator's Phone (319) 334-7068		A. State Manifest Document Number		
5. Transporter 1 Company Name Northland Products Company		6. US EPA ID Number 50644		B. State Generator's ID		
7. Transporter 2 Company Name		8. UA EPA ID Number I.A.D.O.2.2.3.6.5.4.8.0		C. State Transporter's ID		
9. Designated Facility Name and Site Address Northland Products Company 1000 Rainbow Drive Waterloo, Iowa 50704		10. US EPA ID Number I.A.D.O.2.2.3.6.5.4.8.0		D. Transporter's Phone 319-234-5585		
				E. State Transporter's ID		
				F. Transporter's Phone		
				G. State Facility's ID		
				H. Facility's Phone 319-234-5585		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity	14. Unit Wt/Vol	15. Waste No.
a. Waste Petroleum Naphtha, Combustible Liquid, UN 1255 (EPA, D001, D018, D039)		No. Type 20.1 DRUMS		20.17	GAL.	
b. Waste Compound, Cleaning, Liquid, N.O.S., (Contains Pine Oil, Monoethanolamine, 2-Butoxyethanol), Flammable Liquid, NA 1993 (EPA D001)		No. Type PAILS			GAL.	
c.						
d.						
J. Additional Descriptions for Materials Listed Above LAND DISPOSAL RESTRICTION NOTIFICATION: In accordance with EPA 40 CFR 268.7, the Generator provides notice that the material referenced in 11a. - Waste Petroleum Naphtha, EPA class D001 - High TOC Ignitable Liquids and 11b. - Waste Compound, Cleaning, Liquid, EPA D001 - High TOC Ignitable Liquids are Land Disposal Restricted Wastes and are subject to the following Technology-Based Standards/Codes: FSUBS; RORGS; or INCIN. See Technology-Based Standards(s) in 40 CFR 268.42, Table 2 - Technology-Based Standard By RCRA Waste Codes.				K. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information A. Material hazardous due to its ignitability. Protect from ignition sources including but not limited to: Open flames, smoking, cutting & welding, hot surfaces, frictional heat and sparks. B. Material contains a low percentage of components which are corrosive. Minimum skin contact as well as good personal hygiene standards should be observed. Use in areas of adequate ventilation.						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR , if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name PRIES ENTERPRISES, INC		Signature <i>Bill Zick</i>		Month Day Year 03 31 92		
17. Transporter 1 Acknowledgement of Receipt of Materials						
Printed/Typed Name Northland Products Company		Signature <i>[Signature]</i>		Month Day Year 03 31 93		
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed/Typed Name		Signature		Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name Northland Products Company		Signature <i>[Signature]</i>		Month Day Year 04 01 93		

3143406

Northland Products Company
1000 Rainbow Drive, P.O. Box 418
Waterloo, Iowa 50704

RECEIVED FEB 11 1993

ATT 4-11

IN EVENT OF EMERGENCY CALL:
1-800-424-9300 (24 HOURS)

Please print or type
(Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-92

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. <i>L.C.H. D.H.</i>	Manifest Document No. <i>145535</i>	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address PRIES ENTERPRISES, INC 701 17TH STREET, S.E. POST OFFICE BOX 777 INDEPENDENCE, IOWA				A. State Manifest Document Number		
4. Generator's Phone (3193347068)				B. State Generator's ID		
5. Transporter 1 Company Name Northland Products Company		6. US EPA ID Number 50644		C. State Transporter's ID		
7. Transporter 2 Company Name		8. UA EPA ID Number		D. Transporter's Phone 319-234-5585		
9. Designated Facility Name and Site Address Northland Products Company 1000 Rainbow Drive Waterloo, Iowa 50704		10. US EPA ID Number I.A.D.O.2.2.3.6.5.4.8.0		E. State Transporter's ID		
				F. Transporter's Phone		
				G. State Facility's ID		
				H. Facility's Phone 319-234-5585		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)				12. Containers	13. Total Quantity	14. Unit Wt/Vol
				No.	Type	Waste No.
a. <input checked="" type="checkbox"/> Waste Petroleum Naphtha, Combustible Liquid, UN 1255 (EPA, D001, D018, D039)				<i>00-1</i>	DRUMS	<i>00.019</i> GAL.
b. Waste Compound, Cleaning, Liquid, N.O.S., (Contains Pine Oil, Monoethanolamine, 2-Butoxyethanol), Flammable Liquid, NA1993 (EPA D001)					PAILS	GAL.
c.						
d.						
J. Additional Descriptions for Materials Listed Above LAND DISPOSAL RESTRICTION NOTIFICATION: In accordance with EPA 40 CFR 268.7, the Generator provides notice that the material referenced in 11a. - Waste Petroleum Naphtha, EPA class D001 - High TOC Ignitable Liquids and 11b. - Waste Compound, Cleaning, Liquid, EPA D001 - High TOC Ignitable Liquids are Land Disposal Restricted Wastes and are subject to the following Technology-Based Standards/Codes: FSUBS; RORGS; or INCIN. See Technology-Based Standards(s) in 40 CFR 268.42, Table 2 - Technology-Based Standard By RCRA Waste Codes.				K. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information A. Material hazardous due to its ignitability. Protect from ignition sources including but not limited to: Open flames, smoking, cutting & welding, hot surfaces, frictional heat and sparks. B. Material contains a low percentage of components which are corrosive. Minimum skin contact as well as good personal hygiene standards should be observed. Use in areas of adequate ventilation.						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR , if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name PRIES ENTERPRISES, INC		Signature <i>Bill Hahl</i>		Month Day Year <i>02/05/93</i>		
17. Transporter 1 Acknowledgement of Receipt of Materials						
Printed/Typed Name Northland Products Company		Signature <i>[Signature]</i>		Month Day Year <i>02/05/93</i>		
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed/Typed Name		Signature		Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name Northland Products Company		Signature <i>[Signature]</i>		Month Day Year <i>02/06/93</i>		

Northland Products Company
1000 Rainbow Drive, P.O. Box 418
Waterloo, Iowa 50704

ATT 4-12
IN EVENT OF EMERGENCY CALL:
1-800-424-9300 (24 HOURS)

3143406
Please print or type
(Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-91

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. <i>NAH DPH</i>	Manifest Document No. <i>44167</i>	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.		
3. Generator's Name and Mailing Address PRIES ENTERPRISES, INC		701 17TH STREET, S.E. POST OFFICE BOX 777 INDEPENDENCE, IOWA		A. State Manifest Document Number			
4. Generator's Phone (<i>3193347068</i>)		50644		B. State Generator's ID			
5. Transporter 1 Company Name Northland Products Company		6. US EPA ID Number <i>I.A.D.O.2.2.3.6.5.4.8.0</i>		C. State Transporter's ID			
7. Transporter 2 Company Name		8. UA EPA ID Number		D. Transporter's Phone 319-234-5585			
9. Designated Facility Name and Site Address Northland Products Company 1000 Rainbow Drive Waterloo, Iowa 50704		10. US EPA ID Number <i>I.A.D.O.2.2.3.6.5.4.8.0</i>		E. State Transporter's ID			
				F. Transporter's Phone			
				G. State Facility's ID			
				H. Facility's Phone 319-234-5585			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity	14. Unit Wt/Vol	15. Waste No.	
a. <input checked="" type="checkbox"/> Waste Petroleum Naptha, Combustible Liquid, UN 1255 (EPA, D001, D018, D039)		001 DRUMS		00.018	GAL.		
b. <input type="checkbox"/> RQ Waste Compound, Cleaning, Liquid, N.O.S., (Contains Methylene Chloride, Xylene), Corrosive Material, NA1760 (EPA, F001, F003, D007, D008, D018, D019, D022, D039,)		PAILS			GAL.		
c. <input type="checkbox"/> Waste Compound, Cleaning, Liquid, N.O.S., (Contains Pine Oil, Monoethanolamine, 2-Butoxyethanol), Flammable Liquid, NA1993 (EPA D001)							
d. <input type="checkbox"/>							
J. Additional Descriptions for Materials Listed Above LAND DISPOSAL RESTRICTION NOTIFICATION: This serves as notification that the above-referenced Methylene Chloride waste stream, EPA class F001/F003, is a land disposal restricted waste as set forth by EPA regulations 40 CFR part 268. The following constituents and treatment standards apply to this waste stream: Methylene Chloride (0.96 Mg/L); Cresols and Cresylic acid (0.75 Mg/L); Ethylbenzene (0.053 Mg/L); Xylene (0.15 Mg/L); Toluene (0.33 Mg/L); Tetrachloroethylene (0.05); California Ban: Chromium and/or compounds; 500 Mg/L				K. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information A. Material hazardous due to its ignitability. Protect from ignition sources including but not limited to: Open flames, smoking, cutting & welding, hot surfaces, frictional heat and sparks. B. Material contains a low percentage of components which are corrosive. Minimum skin contact as well as good personal hygiene standards should be observed. Use in areas of adequate ventilation.							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR , if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.							
Printed/Typed Name PRIES ENTERPRISES, INC		Signature <i>Bill Fickel</i>		Month Day Year <i>12/09/92</i>			
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name Northland Products Company		Signature <i>[Signature]</i>		Month Day Year <i>12/09/92</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.							
Printed/Typed Name Northland Products Company		Signature <i>[Signature]</i>		Month Day Year <i>12/10/92</i>			

3143406

Northland Products Company
1000 Rainbow Drive, P.O. Box 418
Waterloo, Iowa 50704

ATT-13

IN EVENT OF EMERGENCY CALL:
1-800-424-9300 (24 HOURS)

Please print or type
(Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-91

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. <i>10 # 96</i>	Manifest Document No. <i>41691</i>	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address PRIES ENTERPRISES, INC 701 17TH STREET, S.E. POST OFFICE BOX 777 INDEPENDENCE, IOWA				A. State Manifest Document Number		
4. Generator's Phone (<i>3193347068</i>)				B. State Generator's ID		
5. Transporter 1 Company Name Northland Products Company		6. US EPA ID Number <i>50644</i>		C. State Transporter's ID		
7. Transporter 2 Company Name		8. UA EPA ID Number		D. Transporter's Phone 319-234-5585		
9. Designated Facility Name and Site Address Northland Products Company 1000 Rainbow Drive Waterloo, Iowa 50704		10. US EPA ID Number <i>1.A.D.O.2.2.3.6.5.4.8.0</i>		E. State Transporter's ID		
				F. Transporter's Phone		
				G. State Facility's ID		
				H. Facility's Phone 319-234-5585		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. <input checked="" type="checkbox"/> WASTE Petroleum Naptha, Combustible Liquid EPA Haz Class: D001/D008 DOT ID No.: UN1255		No. Type <i>207</i> DRUMS		<i>00016</i>	GAL.	
b. Hazardous Waste Liquid, NOS, Contains Methylene Chloride, Xylene, ORM-E NA9189 F001/F003		No. Type PAILS			GAL.	
c.						
d.						
J. Additional Descriptions for Materials Listed Above LAND DISPOSAL RESTRICTION NOTIFICATION: This serves as notification that the above-referenced Methylene Chloride waste stream, EPA class F001/F003, is a land disposal restricted waste as set forth by EPA regulations 40 CFR part 268. The following constituents and treatment standards apply to this waste stream: Methylene Chloride (0.96 Mg/L); Cresols and Cresylic acid (0.75 Mg/L); Ethylbenzene (0.053 Mg/L); Xylene (0.15 Mg/L); Toluene (0.33 Mg/L). California Ban: Chromium and/or compounds; 500 Mg/L				K. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information A. Material hazardous due to its ignitability. Protect from ignition sources including but not limited to: Open flames, smoking, cutting & welding, hot surfaces, frictional heat and sparks. B. Material contains a low percentage of components which are corrosive. Minimum skin contact as well as good personal hygiene standards should be observed. Use in areas of adequate ventilation.						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR , if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name PRIES ENTERPRISES, INC		Signature <i>Jim Edelt</i>		Month Day Year <i>10/14/92</i>		
17. Transporter 1 Acknowledgement of Receipt of Materials						
Printed/Typed Name Northland Products Company		Signature <i>[Signature]</i>		Month Day Year <i>10/14/92</i>		
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed/Typed Name		Signature		Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name Northland Products Company		Signature <i>[Signature]</i>		Month Day Year <i>10/15/92</i>		

3143404

Northland Products Company
 1000 Rainbow Drive, P.O. Box 418
 Waterloo, Iowa 50704

ATT 4-14

IN EVENT OF EMERGENCY CALL:
 1-800-424-9300 (24 HOURS)

Please print or type
 (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-91

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. <i>No. 1326</i>		Manifest Document No. 43093		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address PRIES ENTERPRISES, INC 701 17TH STREET, S.E. POST OFFICE BOX 777 INDEPENDENCE, IOWA						A. State Manifest Document Number			
4. Generator's Phone (3193347068)						B. State Generator's ID			
5. Transporter 1 Company Name Northland Products Company						6. US EPA ID Number 50644		C. State Transporter's ID	
7. Transporter 2 Company Name						8. UA EPA ID Number I.A.D.O.2.2.3.6.5.4.8.0		D. Transporter's Phone 319-234-5585	
9. Designated Facility Name and Site Address Northland Products Company 1000 Rainbow Drive Waterloo, Iowa 50704						10. US EPA ID Number I.A.D.O.2.2.3.6.5.4.8.0		E. State Transporter's ID	
								F. Transporter's Phone	
								G. State Facility's ID	
								H. Facility's Phone 319-234-5585	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers		13. Total Quantity	
HM						No. Type		14. Unit Wt/Vol	
a. Petroleum Naptha, Combustible Liquid EPA Haz Class: D001/D008 DOT ID No.: UN1255						001 DRUMS		00018 GAL.	
b. Hazardous Waste Liquid, NOS, Contains Methylene Chloride, Xylene, ORM-E NA9189 F001/F003						PAILS		GAL.	
c.									
d.									
J. Additional Descriptions for Materials Listed Above LAND DISPOSAL RESTRICTION NOTIFICATION: This serves as notification that the above-referenced Methylene Chloride waste stream, EPA class F001/F003, is a land disposal restricted waste as set forth by EPA regulations 40 CFR part 268. The following constituents and treatment standards apply to this waste stream: Methylene Chloride (0.96 Mg/L); Cresols and Cresylic acid (0.75 Mg/L); Ethylbenzene (0.053 Mg/L); Xylene (0.15 Mg/L); Toluene (0.33 Mg/L); California Ban: Chromium and/or compounds; 500 Mg/L.						K. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information A. Material hazardous due to its ignitability. Protect from ignition sources including but not limited to: Open flames, smoking, cutting & welding, hot surfaces, frictional heat and sparks. B. Material contains a low percentage of components which are corrosive. Minimum skin contact as well as good personal hygiene standards should be observed. Use in areas of adequate ventilation.									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR , if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name PRIES ENTERPRISES, INC						Signature <i>Bill Welch</i>		Month Day Year 08/19/92	
17. Transporter 1 Acknowledgement of Receipt of Materials						Printed/Typed Name Northland Products Company		Signature <i>MDJ</i>	
								Month Day Year 08/19/92	
18. Transporter 2 Acknowledgement of Receipt of Materials						Printed/Typed Name		Signature	
								Month Day Year	
19. Discrepancy Indication Space									
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.									
Printed/Typed Name Northland Products Company						Signature <i>Jim Walker</i>		Month Day Year 08/19/92	

ATT 4-15

Northland Products Company
 1000 Rainbow Drive, P.O. Box 418
 Waterloo, Iowa 50704

IN EVENT OF EMERGENCY CALL:
 1-800-424-9300 (24 HOURS)

Please print or type (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-91

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. <i>no # 1331</i>		Manifest Document No. 40033		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.					
3. Generator's Name and Mailing Address PRIES ENTERPRISES, INC.						701 17TH STREET S.E. P.O. BOX 777 INDEPENDENCE, IA							
4. Generator's Phone (3193347068)													
5. Transporter 1 Company Name Northland Products Company						50644 US EPA ID Number		C. State Transporter's ID					
						I . A . D . 0 . 2 . 2 . 3 . 6 . 5 . 4 . 8 . 0		D. Transporter's Phone 319-234-5585					
7. Transporter 2 Company Name						8. UA EPA ID Number		E. State Transporter's ID					
								F. Transporter's Phone					
9. Designated Facility Name and Site Address Northland Products Company 1000 Rainbow Drive Waterloo, Iowa 50704						10. US EPA ID Number		G. State Facility's ID					
						I . A . D . 0 . 2 . 2 . 3 . 6 . 5 . 4 . 8 . 0		H. Facility's Phone 319-234-5585					
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
						No. Type							
a. <input checked="" type="checkbox"/> Petroleum Naptha, Combustible Liquid EPA Haz Class: D001/D008 DOT ID No.: UN1255						001 DRUMS		00019		GAL.			
b. Hazardous Waste Liquid, NOS, Contains Methylene Chloride, Xylene, ORM-E NA9189 F001/F003						PALS				GAL.			
c.													
d.													
J. Additional Descriptions for Materials Listed Above LAND DISPOSAL RESTRICTION NOTIFICATION: This serves as notification that the above-referenced Methylene Chloride waste stream, EPA class F001/F003, is a land disposal restricted waste as set forth by EPA regulations 40 CFR part 268. The following constituents and treatment standards apply to this waste stream: Methylene Chloride (0.96 Mg/L); Cresols and Cresylic acid (0.75 Mg/L); Ethylbenzene (0.053 Mg/L); Xylene (0.15 Mg/L); Toluene (0.33 Mg/L); California Ban: Chromium and/or compounds; 500 Mg/L						K. Handling Codes for Wastes Listed Above							
15. Special Handling Instructions and Additional Information A. Material hazardous due to its ignitability. Protect from ignition sources including but not limited to: Open flames, smoking, cutting & welding, hot surfaces, frictional heat and sparks. B. Material contains a low percentage of components which are corrosive. Minimum skin contact as well as good personal hygiene standards should be observed. Use in areas of adequate ventilation.													
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR , if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.													
Printed/Typed Name PRIES ENTERPRISES, INC.						Signature <i>Bill Hall</i>				Month Day Year 06/24/92			
17. Transporter 1 Acknowledgement of Receipt of Materials													
Printed/Typed Name Northland Products Company						Signature <i>[Signature]</i>				Month Day Year 06/24/92			
18. Transporter 2 Acknowledgement of Receipt of Materials													
Printed/Typed Name						Signature				Month Day Year			
19. Discrepancy Indication Space													
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.													
Printed/Typed Name Northland Products Company						Signature <i>[Signature]</i>				Month Day Year 06/25/92			

Northland Products Company
1000 Rainbow Drive, P.O. Box 418
Waterloo, Iowa 50704

ATT4-14

IN EVENT OF EMERGENCY CALL:
1-800-424-9300 (24 HOURS)

Please print or type
(Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-91

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. <i>North 037</i>	Manifest Document No. 138784	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.		
3. Generator's Name and Mailing Address PRIES ENTERPRISES, INC 701 17TH STREET, S.E. POST OFFICE BOX 777 INDEPENDENCE, IOWA		A. State Manifest Document Number			B. State Generator's ID		
4. Generator's Phone (3193347068		C. State Transporter's ID			D. Transporter's Phone 319-234-5585		
5. Transporter 1 Company Name Northland Products Company		6. US EPA ID Number 50644		E. State Transporter's ID		F. Transporter's Phone	
7. Transporter 2 Company Name		8. UA EPA ID Number		G. State Facility's ID		H. Facility's Phone	
9. Designated Facility Name and Site Address Northland Products Company 1000 Rainbow Drive Waterloo, Iowa 50704		10. US EPA ID Number 1.A.D.O.2.2.3.6.5.4.8.0		319-234-5585			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)				12. Containers	13. Total Quantity	14. Unit Wt/Vol	15. Waste No.
a. <input checked="" type="checkbox"/> Petroleum Naptha, Combustible Liquid EPA Haz Class: D001/D008 DOT ID No.: UN1255				001	DRUMS	00019	GAL.
b. Hazardous Waste Liquid, NOS, Contains Methylene Chloride, Xylene, ORM-E NA9189 F001/F003					PAILS		GAL.
c.							
d.							
J. Additional Descriptions for Materials Listed Above LAND DISPOSAL RESTRICTION NOTIFICATION: This serves as notification that the above-referenced Methylene Chloride waste stream, EPA class F001/F003, is a land disposal restricted waste as set forth by EPA regulations 40 CFR part 268. The following constituents and treatment standards apply to this waste stream: Methylene Chloride (0.96 Mg/L); Cresols and Cresylic acid (0.75 Mg/L); Ethylbenzene (0.053 Mg/L); Xylene (0.15 Mg/L); Toluene (0.33 Mg/L). California Ban: Chromium and/or compounds; 500 Mg/L				K. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information A. Material hazardous due to its ignitability. Protect from ignition sources including but not limited to: Open flames, smoking, cutting & welding, hot surfaces, frictional heat and sparks. B. Material contains a low percentage of components which are corrosive. Minimum skin contact as well as good personal hygiene standards should be observed. Use in areas of adequate ventilation.							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR , if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.							
Printed/Typed Name PRIES ENTERPRISES, INC				Signature <i>Bill Zlot</i>		Month Day Year 04/29/92	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Northland Products Company				Signature <i>[Signature]</i>		Month Day Year 04/29/92	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name Northland Products Company							
Signature <i>[Signature]</i>				Month Day Year 04/30/92			

Northland Products Company
1000 Rainbow Drive, P.O. Box 418
Waterloo, Iowa 50704

IN EVENT OF EMERGENCY CALL:
1-800-424-9300 (24 HOURS)

Please print or type
(Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-91

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address PRIES ENTERPRISES, INC. 701 17TH STREET, S.E. P.O. BOX 777 INDEPENDENCE, IA		4. Generator's Phone (319-334-7068) 50644		6. State Manifest Document Number		
5. Transporter 1 Company Name Northland Products Company		8. US EPA ID Number 50644		C. State Transporter's ID		
7. Transporter 2 Company Name		8. UA EPA ID Number		D. Transporter's Phone 319-234-5585		
9. Designated Facility Name and Site Address Northland Products Company 1000 Rainbow Drive Waterloo, Iowa 50704		10. US EPA ID Number 50644		E. State Transporter's ID		
				F. Transporter's Phone		
				G. State Facility's ID		
				H. Facility's Phone 319-234-5585		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. Petroleum Naptha, Combustible Liquid EPA Haz Class: D001/D008 DOT ID No.: UN1255		No. Type 001 DRUMS		00020	GAL.	
b. Hazardous Waste Liquid, NOS, Contains Methylene Chloride, Xylene, ORM-E NA9189 F001/F003		No. Type PAILS			GAL.	
c.						
d.						
J. Additional Descriptions for Materials Listed Above LAND DISPOSAL RESTRICTION NOTIFICATION: This serves as notification that the above-referenced Methylene Chloride waste stream, EPA class F001/F003, is a land disposal restricted waste as set forth by EPA regulations 40 CFR part 268. The following constituents and treatment standards apply to this waste stream: Methylene Chloride (0.96 Mg/L); Cresols and Cresylic acid (0.75 Mg/L); Ethylbenzene (0.053 Mg/L); Xylene (0.15 Mg/L); Toluene (0.33 Mg/L); California Ban: Chromium and/or compounds; 500 Mg/L.		K. Handling Codes for Wastes Listed Above				
15. Special Handling Instructions and Additional Information A. Material hazardous due to its ignitability. Protect from ignition sources including but not limited to: Open flames, smoking, cutting & welding, hot surfaces, frictional heat and sparks. B. Material contains a low percentage of components which are corrosive. Minimum skin contact as well as good personal hygiene standards should be observed. Use in areas of adequate ventilation.						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name PRIES ENTERPRISES, INC.		Signature <i>Bill Hall</i>		Month Day Year 03 06 92		
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name Northland Products Company		Signature <i>Steve Kummer</i>		
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name Northland Products Company		Signature <i>Dick McLean</i>		Month Day Year 03 06 92		

CEDAR FALLS DRAIN SERVICE

424 North Ellen

Cedar Falls, Ia.

50613

319 266-7283

Date: 2-1-94

To whom it may concern:

Today we picked up 250 gallons of drain oil from:

Prior Engine of Independence

This oil will be used to fire Industrial Type furnaces as are
used in making asphalt.

Our EPA ID Number is IAD 981496680

C. R. Halverson,
Owner

Clint

(063843-0715* -TO120504-0237) DATE OF ISSUE 12/16/93 SUPERSEDES 10/29/93

SECTION I - GENERAL INFORMATION

CHEMICAL NAME & SYNONYMS N/A TRADE NAME & SYNONYMS AQUA-SOL 20/20 INDUSTRY
CHEMICAL FAMILY ALKALINE DETERGENT FORMULA X<--MIXTURE
MANUFACTURERS NAME: CERTIFIED LABS, DIV. OF NCH CORP.
ADDRESS (NUMBER, STREET, CITY, STATE & ZIP CODE)
BOX 152170
IRVING, TEXAS 75015
PREPARED BY: R STOLLEY/CHEMIST PRODUCT CODE NUMBER 0237 EMERGENCY TELEPHONE NUMBER 214-438-1381

SECTION II- HAZARDOUS INGREDIENTS

THE HAZARDS PRESENTED BELOW ARE THOSE OF THE INDIVIDUAL COMPONENTS.

CHEMICAL NAME (INGREDIENTS) :
SODIUM METASILICATE
HAZARD---->SKIN IRR. TLV--->2MG/M3 1. PEL-->2MG/M3 2.
STEL(TWA)* -->NOT EST. CAS#-->6834-92-0
CHEMICAL NAME (INGREDIENTS) :
TRIPROPYLENE GLYCOLMONOMETHYL ETHER
HAZARD---->EYE IRR. TLV--->NOT EST. 1 PEL-->NOT EST. 2
STEL(TWA)* -->NOT EST. CAS#-->20324-33-8
CHEMICAL NAME (INGREDIENTS) :
2,6,8-TRIMETHYL-4-NONYLOXYPOLY OXYETHANOL
HAZARD---->EYE IRR. TLV--->NOT EST. 1 PEL-->NOT EST. 2
STEL(TWA)* -->NOT EST. CAS#-->60828-78-6

AQUA-SOL 20/20 INDUSTRY

SECTION IIA - NON-HAZARDOUS INGREDIENTS PAGE : 02

NON-HAZARDOUS INGREDIENT NAMES AND CAS NUMBERS ARE PROTECTED UNDER NJ TRADE
SECRET REGISTRY # 409363-5004P

SECTION III - PHYSICAL DATA

BOILING PT. (FAHRENHEIT) 210 SPEC GRAVITY (H2O=1) 1.050
VAPOR PRESSURE (MM HG) 17 COLOR YELLOW-GREEN
VAPOR DENSITY (AIR=1) 6 ODOR LOW
PH @ 100% 12.2 CLARITY TRANSPARENT
PERCENT VOLATILE BY VOLUME (%) 95 EVAPORATION RATE 0.10
(BU AC = 1)
SOLUBILITY IN WATER COMPLETE
VISCOSITY NON-VISCOUS

SECTION IV - FIRE AND EXPLOSION HAZARD

FLASH POINT (METHOD USED) NON-FLAMM/A FLAMMABLE LIMITS N/A LEL N/A UEL N/A
EXTINGUISHING MEDIA "ALCOHOL" DRY WATER
X<--FOAM <--FOAM X<--CO2 X<--CHEMICAL X<--SPRAY <--OTHER
SPECIAL FIRE FIGHTING PROCEDURES
AS WITH ALL CHEMICAL FIRES WEAR FULL PROTECTIVE GEAR INCLUDING
A SUPPLIED AIR DEVICE.

UNUSUAL FIRE & EXPLOSION HAZARDS
RESIDUES OF MATERIAL CAN GIVE OFF SMOKE OR OXIDES OF CARBON IF HEATED
UNTIL ALL WATER IS EVAPORATED.

NFPA HAZARD RATING (0=INSIGNIFICANT;1=SLIGHT;2=MODERATE;3=HIGH;4=EXTREME):
1 <--HEALTH 0 <--FLAMMABILITY 0 <--REACTIVITY <--SPECIAL

THRESHOLD LIMIT VALUE :

NOT ESTABLISHED FOR MIXTURE. SEE SECTION II.

EFFECTS OF OVEREXPOSURE

- ACUTE - (SHORT TERM EXPOSURE)
ACUTE EXPOSURE FROM THIS ALKALINE MIXTURE RESULTS IN REDDENING OF THE SKIN, MODERATE IRRITATION & POSSIBLE DISCOMFORT. IRRITATING BY INHALING SPRAY MIST TO UPPER RESPIRATORY TRACT OR OTHER MUCOUS MEMBRANE AREAS. EYE CONTACT PRODUCES TEARING, IRRITATION & DISCOMFORT. ACCIDENTAL INGESTION CAUSES NAUSEA, DIARRHEA AND IRRITATION OF INTESTINAL LINING.

- CHRONIC - (LONG TERM EXPOSURE)
LONG-TERM MISUSE RESULTING FROM AIRBORNE CONCENTRATIONS OF MIST OR SPRAY MAY CAUSE DAMAGE TO UPPER RESPIRATORY TRACT. CHRONIC EFFECTS MAY RESULT IN SUPERFICIAL DESTRUCTION OF TISSUE AND DERMATITIS. THERE ARE NO KNOWN CHRONIC EFFECTS TO THE EYES OTHER THAN THE EXTENSION OF THE ACUTE EFFECTS. PERSONS WITH AGGRAVATED SKIN CONDITIONS OR RESPIRATORY TRACT DISEASE MAY BE NEGATIVELY AFFECTED BY THE USE OF THIS PRODUCT. AS AN INGREDIENT MAY BE ABSORBED THROUGH THE SKIN, REPEATED LONG TERM EXPOSURE CAN CAUSE CENTRAL NERVOUS SYSTEM DEPRESSION AND KIDNEY EFFECTS. TARGET ORGANS: KIDNEYS, NERVOUS SYSTEM.

PRIMARY ROUTE OF ENTRY: X<-- INHALATION <-- INGESTION <-- ABSORPTION

EMERGENCY & FIRST AID PROCEDURES

INHALATION:
REMOVE FROM AREA TO FRESH AIR. SEEK MEDICAL ATTENTION IF RESPIRATORY IRRITATION DEVELOPS OR IF BREATHING BECOMES DIFFICULT.

EYE CONTACT:
IMMEDIATELY RINSE EYES WITH WATER. REMOVE ANY CONTACT LENSES, AND CONTINUE FLUSHING EYES WITH RUNNING WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS APART TO ENSURE RINSING OF THE ENTIRE SURFACE OF THE EYES AND LIDS WITH WATER. GET IMMEDIATE MEDICAL ATTENTION.

SKIN CONTACT:
WASH AFFECTED AREAS WITH PLENTY OF WATER, AND SOAP IF AVAILABLE, FOR SEVERAL MINUTES. REMOVE AND CLEAN CONTAMINATED CLOTHING AND SHOES. SEEK MEDICAL ATTENTION IF IRRITATION DEVELOPS OR PERSISTS.

INGESTION:
IMMEDIATELY GIVE 3-4 GLASSES OF WATER, BUT DO NOT INDUCE VOMITING. IF VOMITING OCCURS, GIVE FLUIDS AGAIN. GET IMMEDIATE MEDICAL ATTENTION. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS OR CONVULSING PERSON.

NOTES TO PHYSICIAN:
SODIUM METASILICATE: GASTRIC LAVAGE IS INDICATED IF LARGE AMOUNTS ARE INGESTED.

SECTION VI - TOXICITY INFORMATION

AQUA-SOL 20/20 INDUSTRY

(CONTINUED)

SECTION VI - TOXICITY INFORMATION

PAGE : 04

PRODUCT CONTAINS CHEMICAL LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN BY:

IARC	<--YES	NTP	<--YES	OSHA	<--YES	ACGIH	<--YES	OTHER	<--YES
X<--NO	X<--NO	X<--NO	X<--NO	X<--NO	X<--NO	X<--NO	X<--NO	X<--NO	X<--NO

SODIUM METASILICATE: ORL-RAT LD50: 1280 MG/KG 3.
SKN-RBT 250MG/24H SEV 3.

TRIPROPYLENE GLYCOL MONOMETHYL ETHER
ORL-RAT LD50: 3300MG/KG 4.
ORL-DOG LD50: 5000MG/KG 4.
2,6,8-TRIMETHYL-4-NONYLOXYPOLY OXYETHANOL
ORL-RAT LD50: 5650MG/KG 4.

SECTION VII - REACTIVITY DATA

STABILITY	X<--STABLE	<--UNSTABLE	CONDITIONS TO AVOID
-----------	------------	-------------	---------------------

N/A

INCOMPATIBILITY (MATERIALS TO AVOID)
MAY ETCH GLASS OR ANODIZED ALUMINUM IF PRODUCT IS HOT THE SURFACE IS HOT OR THE PRODUCT IS NOT RINSED OR PROPERLY DILUTED.

HAZARDOUS DECOMPOSITION PRODUCTS
OXIDES OF CARBON, NITROGEN, SILICA

HAZARDOUS	WILL NOT	MAY	CONDITIONS TO AVOID
	X <--OCCUR	<--OCCUR	

POLYMERIZATION: N/A

SECTION VIII - SPILL OR LEAK PROCEDURES

STEPS TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED
STOP LEAK. CONTAIN SPILL. REMOVE BY WET VACUUM OR ABSORBANT.
REUSE SPILLED MATERIAL IF POSSIBLE, OTHERWISE PLACE IN CLOSED LABELED CONTAINER AND STORE IN LABELED CONTAINER. RINSE AREA WITH WATER.

WASTE DISPOSAL METHOD
DISPOSE OF IN ACCORDANCE WITH STATE, FEDERAL & LOCAL REGULATIONS.

NEUTRALIZING AGENT
N/A

REQUIRED VENTILATION
GOOD INDUSTRIAL HYGIENE PRACTICE DICTATES THAT THE WORK AREAS SHOULD
PROVIDE ADEQUATE VENTILATION OR CONTROLS TO MAINTAIN EXPOSURE BELOW
RECOMMENDED LEVELS.

RESPIRATORY PROTECTION
WITH NORMAL USE, NO RESPIRATOR IS REQUIRED. IF MATERIAL IS USED IN A
MANNER WHICH CREATES MISTS, A NIOSH APPROVED RESPIRATOR DESIGNED FOR
AEROSOL MISTS SHOULD BE WORN.

PROTECTIVE GLOVES
NEOPRENE RUBBER GLOVES

EYE PROTECTION
SAFETY GLASSES WITH SIDE SHIELDS OR SAFETY GOGGLES

OTHER PROTECTION
WORK CLOTHING SUCH AS APRONS IF NEEDED TO PREVENT
SKIN CONTACT.

SECTION X - STORAGE AND HANDLING INFORMATION

STORAGE TEMPERATURE	INDOOR	HEATED	REFRIGERATED	OUTDOOR
120 F. <--MAX 32 F. <--MIN	X			

PRECAUTIONS TO BE TAKEN IN HANDLING & STORING
AVOID FREEZING.

OTHER PRECAUTIONS
KEEP OUT OF REACH OF CHILDREN.
READ ENTIRE LABEL BEFORE USING.

SECTION XI - REGULATORY INFORMATION

CHEMICAL NAME	C.A.S. NUMBER	UPPER % LIMIT
N/A		

THOSE INGREDIENTS LISTED ABOVE ARE SUBJECT TO THE REPORTING REQUIREMENTS OF
313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF
1986 AND 40 CFR PART 372.
IF UE (USE EXEMPTION) APPEARS UNDER UPPER % LIMIT, END USERS ARE EXEMPT
FROM NOTIFICATION BECAUSE THE PRODUCT IS USED AND LABELED FOR ROUTINE
JANITORIAL WORK, OR THE PRODUCT IS USED AND LABELED FOR FACILITY GROUNDS
MAINTENANCE (SUCH AS FERTILIZERS AND HERBICIDES), OR THE PRODUCT IS USED AND

AQUA-SOL 20/20 INDUSTRY

(CONTINUED)

SECTION XI - REGULATORY INFORMATION

PAGE : 06

LABELED FOR MAINTAINING MOTOR VEHICLES.

CALIFORNIA PROPOSITION 65
WARNING: THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) KNOWN TO THE STATE OF
CALIFORNIA TO CAUSE (1) CANCER OR (2) BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM:
NONE

SECTION XII - TRANSPORTATION * (FOR FUTURE USE)

APPLICABLE REGULATIONS	<--TARIFF 6 D	<--IATA	<--MILITARY AIR (AFR 71-4)
<--49 CFR <--IMCO			

SHIPPING NAME

HAZARD CLASS	ID NUMBER	REPORT QTY

LABELS	LIMITED QTY

UNIT CONTAINER

DOT SPS CONTAINER	NET EXPLOSIVE WT.

AEROSOL PROPELLANT(S)

SECTION XIII - REFERENCES

1. THRESHOLD LIMIT VALUES FOR CHEMICAL SUBSTANCES AND PHYSICAL AGENTS AND
BIOLOGICAL EXPOSURE INDICES, ACGIH, 1991-1992.
2. OSHA PEL
3. DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS, 7TH EDITION, N. IRVING
SAX AND RICHARD J. LEWIS, SR.
4. VENDORS MSDS

*SHORT TERM EXPOSURE LIMIT (TWA) LISTED AS FINAL RULE LIMITS PUBLISHED IN THE
FEDERAL REGISTER/VOL.54 NO.12, 1-19-89

(CONTINUED)

SECTION XIII - REFERENCES

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE IN LIGHT OF CURRENT FORMULATION, HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

CERTIFIED LABS, DIV. OF NCH CORP. ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE CAUSED BY THE USE, STORAGE OR DISPOSAL OF THE PRODUCT IN A MANNER NOT RECOMMENDED ON THE PRODUCT LABEL. USERS ASSUME ALL RISKS ASSOCIATED WITH SUCH UNRECOMMENDED USE, STORAGE, OR DISPOSAL OF THE PRODUCT.



#1: PRIES ENTERPRISES INC. - PART OF STORAGE AREA SOUTH OF PRIES BUILDING CALLED "BILLET PAD." FOUR RED & BLACK DRUMS ARE EMPTY PRODUCT (HYD. OIL) DRUMS.



#2: PRIES - "BILLET PAD". ALUMINUM BILLETS IN STORAGE.



#3: PRIES ENTERPRISES INC. — OIL SUMP SOUTH OF HYDRAULIC PRESS



#4: PRIES — USED OIL STORAGE DRUMS (THREE UPPER, RIGHT). TWO DRUMS, UPPER RIGHT (RED CENTER STRIPE) ARE NEW HYDRAULIC PRESS OIL. TWO LOWER DRUMS CONTAIN PRODUCT. ALL USED OIL DRUMS WERE LABELED "USED OIL". (DOUBLE EXPOSURE — MALFUNCTION)



#5: PRIES ENTERPRISES INC. - USED OIL IN STORAGE (4 DRUMS). ON FLOOR TO LEFT OF DRUMS IN PHOTO #4. #10 CANS ON TOP OF DRUMS WERE EMPTY. ONE GALLON JUG CONTAINED PRODUCT.


#6:

MISSING DUE TO MALFUNCTION

(PARTS WASHER IN MAINTENANCE AREA)
(NO VIOLATIONS OBSERVED.)



#7: PRIES ENTERPRISES INC. - CAUSTIC TREATMENT AREA WHERE EXTRUSION DIES ARE DIPPED FOR CLEANING. DIP TANK (FOREGROUND); CAUSTIC TANK (MIDDLE); TREATMENT TANK (BACKGROUND). MALFUNCTIONING CAMERA.



#8: PRIES. - FLOOR SCRUBBER - USES AQUA-SOL 20/20 TO CLEAN FLOORS.